

Package: poset (via r-universe)

September 18, 2024

Type Package

Title Analysis of Partially Ordered Data

Version 1.0.0

Description Win ratio approach to partially ordered data, such as multivariate ordinal responses under product (consensus) or prioritized order. Two-sample tests and multiplicative regression models are implemented (Mao, 2024).

License CC BY 4.0

URL <https://sites.google.com/view/lmaowisc/>,
<https://lmaowisc.github.io/poset/>

Depends R (>= 3.10)

Suggests knitr, rmarkdown

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

LazyData true

RoxygenNote 7.3.1

Repository <https://lmaowisc.r-universe.dev>

RemoteUrl <https://github.com/lmaowisc/poset>

RemoteRef HEAD

RemoteSha 581f3249828654b6a2f33d74a556deb898252c13

Contents

liver	2
print.summary.wreg	2
print.wreg	3
print.wrtest	3
summary.wreg	4
wprod	5
wreg	5
wrtest	7

Index**8**

liver

*A dataset from a non-alcoholic fatty liver disease study***Description**

A total of 186 patients with non-alcoholic fatty liver disease were recruited at the University of Wisconsin Hospitals in 2017. The patients underwent computed tomography scan of the liver for the presence of non-alcoholic steato-hepatitis, the most severe form of non-alcoholic fatty liver disease. The image was subsequently assessed by two radiologists using a scale of 1 to 5, with higher values indicating greater likelihood of disease. This is a slightly altered dataset from the one used in Mao (2024).

Usage

liver

Format

A data frame with 186 rows (one per patient) and 7 variables:

R1NASH, R2NASH Rating scores (1-5) by two readers.

Sex M: male; F: female.

AF Advanced fibrosis (TRUE or FALSE).

Steatosis Percent of steatosis.

SSF2 Liver mean gray level intensity.

LSN Liver surface nodularity.

References

Mao, L. (2024). Win ratio for partially ordered data. *Statistica Sinica*, Under revision.

print.summary.wreg

*Print method for summary.wreg objects***Description**

Print summary results for win ratio regression.

Usage

```
## S3 method for class 'summary.wreg'
print(x, ...)
```

Arguments

- x An object returned by [summary.wreg](#).
- ... Further arguments passed to or from other methods

Value

No return value, called for side effects.

print.wreg *Print concise model results from wreg*

Description

Print concise results for win ratio regression.

Usage

```
## S3 method for class 'wreg'  
print(x, ...)
```

Arguments

- x An object returned by [wreg](#).
- ... Further arguments passed to or from other methods

Value

No return value, called for side effects.

See Also

[wreg](#).

print.wrtest *Print results from wrtest*

Description

Print the results for two-sample win ratio (net benefit) analysis, including point estimates, 95% confidence intervals, and p-values.

Usage

```
## S3 method for class 'wrtest'  
print(x, ...)
```

Arguments

x An object returned by [wrtest](#).
 ... Further arguments passed to or from other methods

Value

No return value, called for side effects.

See Also

[wrtest](#).

summary.wreg	<i>Summarize model results from wreg</i>
--------------	--

Description

Summarize the inferential results for win ratio regression.

Usage

```
## S3 method for class 'wreg'
summary(object, ...)
```

Arguments

object An object returned by [wreg](#).
 ... Additional arguments affecting the summary produced.

Value

An object of class `summary.wreg` with components:

`coefficients` A matrix of coefficients, standard errors, z-values and p-values.
`exp_coef` A matrix of win ratios (`exp(coef)`) and 95% confidence intervals.
`wald, wald_pval` Overall wald test statistic on all covariates and p-value.

See Also

[wreg](#).

Examples

```
#See examples for wreg().
```

wprod*The product-order win function for multivariate ordinal data*

Description

A common rule of comparison for the `fun` argument in [wrtest](#) and [wreg](#). A winner has all its components greater than or equal to those of the loser, and strictly so for at least one component.

Usage

```
wprod(y1, y0)
```

Arguments

`y1` A K -dimensional vector y_1 .

`y0` A K -dimensional vector y_0 .

Value

An integer in $1, 0, -1$:

`1` If $y_1 \geq y_0$ component-wise, with strict inequality for at least one component.

`-1` If $y_0 \geq y_1$ component-wise, with strict inequality for at least one component.

`0` Otherwise.

See Also

[wrtest](#), [wreg](#).

wreg*Win ratio regression analysis*

Description

Fit a multiplicative win-ratio regression model to partially ordered response against covariates.

Usage

```
wreg(Y, Z, fun = NULL, sfun = NULL, ep = 1e-06)
```

Arguments

Y	An $n \times K$ matrix for K -variate response data on n subjects. The entries must be numeric. For pseudo-efficient estimation (without specifying <code>sfun</code>), the average score across components (row means) should be compatible with the partial order (i.e., preserve the same order for any two comparable and ordered elements).
Z	An $n \times p$ design matrix for covariates.
fun	User-specified win function for pairwise comparison. It takes two arguments y_1 and y_0 (both K -vectors) and returns 1 if y_1 wins, -1 if y_0 wins, and 0 if tied. The default is <code>wprod</code> for the product order of multivariate ordinal data.
sfun	The scoring function used in pseudo-efficient estimation. The default is to take the row means of Y.
ep	Convergence criterion in Newton-Raphson algorithm. The default is 1e-6.

Value

An object of class `wreg` with the following components:

beta	A vector of estimated regression coefficients.
var	Estimated covariance matrix for beta
l	Number of Newton-Raphson iterations.
beta_nv	Naive (non-pseudo-efficient) estimates of beta.
se_nv	Estimated standard errors for beta_nv.
n	Sample size n of input data with non-missing values.
Nw1	Number of comparable pairs (those with a win and loss) out of the $n(n - 1)/2$ possible ones.

References

Mao, L. (2024). Win ratio for partially ordered data. *Statistica Sinica*, Under revision.

See Also

[wprod](#), [print.wreg](#), [summary.wreg](#).

Examples

```
head(liver)
# regress bivariate ratings against covariates
Y <- 5 - liver[, c("R1NASH", "R2NASH")] # lower score is better
Z <- cbind("Female" = liver$Sex == "F",
           liver[, c("AF", "Steatosis", "SSF2", "LSN")]) # covariates
obj <- wreg(Y, Z) # fit model
obj
summary(obj)
```

wrtest	<i>Two-sample win ratio (net benefit) analysis</i>
--------	--

Description

Estimate and make inference on win ratio (net benefit) comparing a treatment to a control group.

Usage

```
wrtest(Y1, Y0, fun = wprod)
```

Arguments

Y1	K -variate response data on n_1 subjects in treatment ($n_1 \times K$ matrix).
Y0	K -variate response data on n_0 subjects in control ($n_0 \times K$ matrix).
fun	User-specified win function for pairwise comparison. It takes two arguments y_1 and y_0 (both K -vectors) and returns 1 if y_1 wins, -1 if y_0 wins, and 0 if tied. The default is <code>wprod</code> for the product order of multivariate ordinal data.

Value

An object of class `wrtest` with the following components:

theta	A bivariate vector of win/loss fractions.
lgwr, lgwr_se, lgwr_pval	Log-win ratio estimate ($\log(\text{theta}[1]/\text{theta}[2])$), standard error, and p-value.
nb, nb_se, nb_pval	Net benefit estimate ($\text{theta}[1]-\text{theta}[2]$), standard error, and p-value.

References

Mao, L. (2024). Win ratio for partially ordered data. *Statistica Sinica*, Under revision.

Buyse, M. (2010). [Generalized pairwise comparisons of prioritized outcomes in the two-sample problem](#). *Statistics in Medicine*, 29, 3245-3257.

See Also

`wprod`, `print.wrtest`.

Examples

```
head(liver)
## compare bivariate ratings by fibrosis stage
## lower score is better
Y1 <- liver[liver$AF, c("R1NASH", "R2NASH")] # advanced
Y0 <- liver[!liver$AF, c("R1NASH", "R2NASH")] # not advanced
obj <- wrtest(Y1, Y0)
obj
```

Index

- * **datasets**

- liver, 2

- * **wreg**

- summary.wreg, 4

- wreg, 5

- * **wrtest**

- wprod, 5

- wrtest, 7

liver, 2

print.summary.wreg, 2

print.wreg, 3, 6

print.wrtest, 3, 7

summary.wreg, 3, 4, 6

wprod, 5, 6, 7

wreg, 3–5, 5

wrtest, 4, 5, 7